

# Malvern Fire Department


Malvern, AR

This report was generated on 6/2/2016 12:47:15 PM



## Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 05/01/2016 | End Date: 05/31/2016



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	5	10.64%
Rescue & Emergency Medical Service	13	27.66%
Hazardous Condition (No Fire)	4	8.51%
Service Call	6	12.77%
Good Intent Call	5	10.64%
False Alarm & False Call	14	29.79%
<b>TOTAL</b>	<b>47</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

### Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	2	4.26%
113 - Cooking fire, confined to container	2	4.26%
118 - Trash or rubbish fire, contained	1	2.13%
311 - Medical assist, assist EMS crew	2	4.26%
321 - EMS call, excluding vehicle accident with injury	1	2.13%
322 - Motor vehicle accident with injuries	7	14.89%
324 - Motor vehicle accident with no injuries.	3	6.38%
411 - Gasoline or other flammable liquid spill	1	2.13%
444 - Power line down	1	2.13%
445 - Arcing, shorted electrical equipment	1	2.13%
463 - Vehicle accident, general cleanup	1	2.13%
500 - Service Call, other	1	2.13%
512 - Ring or jewelry removal	1	2.13%
531 - Smoke or odor removal	1	2.13%
561 - Unauthorized burning	3	6.38%
600 - Good intent call, other	1	2.13%
611 - Dispatched & cancelled en route	1	2.13%
622 - No incident found on arrival at dispatch address	3	6.38%
700 - False alarm or false call, other	1	2.13%
730 - System malfunction, other	2	4.26%
733 - Smoke detector activation due to malfunction	2	4.26%
735 - Alarm system sounded due to malfunction	2	4.26%
740 - Unintentional transmission of alarm, other	1	2.13%
743 - Smoke detector activation, no fire - unintentional	5	10.64%
745 - Alarm system activation, no fire - unintentional	1	2.13%
<b>TOTAL INCIDENTS:</b>	<b>47</b>	<b>100.00%</b>

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.